


Vectors and Array Lists



The Vector ADT (§5.1)

- ◆ The **Vector** ADT extends the notion of array by storing a sequence of arbitrary objects
- ◆ An element can be accessed, inserted or removed by specifying its rank (number of elements preceding it)
- ◆ An exception is thrown if an incorrect rank is specified (e.g., a negative rank)
- ◆ Main vector operations:
 - object **elemAtRank**(integer r): returns the element at rank r without removing it
 - object **replaceAtRank**(integer r , object o): replace the element at rank with o and return the old element
 - **insertAtRank**(integer r , object o): insert a new element o to have rank r
 - object **removeAtRank**(integer r): removes and returns the element at rank r
- ◆ Additional operations **size()** and **isEmpty()**

Applications of Vectors

- ◆ Direct applications
 - Sorted collection of objects (elementary database)
- ◆ Indirect applications
 - Auxiliary data structure for algorithms
 - Component of other data structures


Array-based Vector

- ◆ Use an array V of size N
- ◆ A variable n keeps track of the size of the vector (number of elements stored)
- ◆ Operation **elemAtRank**(r) is implemented in $O(1)$ time by returning $V[r]$




Insertion

- ◆ In operation ***insertAtRank***(r, o), we need to make room for the new element by shifting forward the $n - r$ elements $V[r], \dots, V[n - 1]$
- ◆ In the worst case ($r = 0$), this takes $O(n)$ time



Deletion

- ◆ In operation ***removeAtRank***(r), we need to fill the hole left by the removed element by shifting backward the $n - r - 1$ elements $V[r + 1], \dots, V[n - 1]$
- ◆ In the worst case ($r = 0$), this takes $O(n)$ time



Performance

- ◆ In the array based implementation of a Vector
 - The space used by the data structure is $O(n)$
 - ***size***, ***isEmpty***, ***elemAtRank*** and ***replaceAtRank*** run in $O(1)$ time
 - ***insertAtRank*** and ***removeAtRank*** run in $O(n)$ time
- ◆ If we use the array in a circular fashion, ***insertAtRank***(0) and ***removeAtRank***(0) run in $O(1)$ time
- ◆ In an ***insertAtRank*** operation, when the array is full, instead of throwing an exception, we can replace the array with a larger one

Growable Array-based Vector

- ◆ In a push operation, when the array is full, instead of throwing an exception, we can replace the array with a larger one
- ◆ How large should the new array be?
 - incremental strategy: increase the size by a constant c
 - doubling strategy: double the size

```

Algorithm push( $o$ )
  if  $t = S.length - 1$  then
     $A \leftarrow$  new array of
      size ...
    for  $i \leftarrow 0$  to  $t$  do
       $A[i] \leftarrow S[i]$ 
     $S \leftarrow A$ 
   $t \leftarrow t + 1$ 
   $S[t] \leftarrow o$ 
    
```

Comparison of the Strategies

- ◆ We compare the incremental strategy and the doubling strategy by analyzing the total time $T(n)$ needed to perform a series of n push operations
- ◆ We assume that we start with an empty stack represented by an array of size 1
- ◆ We call amortized time of a push operation the average time taken by a push over the series of operations, i.e., $T(n)/n$

Incremental Strategy Analysis

- ◆ We replace the array $k = n/c$ times
- ◆ The total time $T(n)$ of a series of n push operations is proportional to

$$n + c + 2c + 3c + 4c + \dots + kc =$$

$$n + c(1 + 2 + 3 + \dots + k) =$$

$$n + ck(k + 1)/2$$
- ◆ Since c is a constant, $T(n)$ is $O(n + k^2)$, i.e., $O(n^2)$
- ◆ The amortized time of a push operation is $O(n)$

Doubling Strategy Analysis

- ◆ We replace the array $k = \log_2 n$ times
- ◆ The total time $T(n)$ of a series of n push operations is proportional to

$$n + 1 + 2 + 4 + 8 + \dots + 2^k =$$

$$n + 2^{k+1} - 1 = 2n - 1$$
- ◆ $T(n)$ is $O(n)$
- ◆ The amortized time of a push operation is $O(1)$

