

Index

- (1 + ε)-EMST drawing, 139
- (h, k)-proximity drawing, 117
- 1-outerplanar embedded graph, 263
- 2-claw, 266
- $C_o(G)$ -component, 324
- G_E^P , 328
- G_W^P , 328
- G_d , 321
- K_n , 43, 44, 47, 48
- $K_{m,n}$, 46, 48
- $K_{n,m}$, 43
- $NF3$ -graphs, 138
- P_E , 324
- P_N , 324
- P_S , 324
- P_W , 324
- $Q_c(C)$, 327
- Δ , 318
- Δ -drawing, 675
- Θ , 321
- $\Theta(G)$, 49
- α -complexes, 143
- β -drawings, 119
- γ -drawings, 120
- γ -regions, 120
- $\text{bw}(G)$, 49
- $\text{crs}(G)$, 57
- $\text{cr}(G)$, 45
- $\text{cr}_1(G)$, 45
- $\text{cr}_t(G)$, 46
- $\text{cw}(G)$, 49
- $\text{ocr}(G)$, 45
- $\text{pcr}(G)$, 45
- $\text{sk}(G)$, 48
- ε_1 -shrunk disk of D , 140
- ε_2 -expanded disk of D , 140
- d -linear, 712
- k -connected, 224
- k -localized Delaunay triangulations, 143
- k -outerplanar, 263
- k -outerplanar embedded graph, 263
- k -outerplanar embedding, 263
- k -planar graphs, 225
- k -relative neighborhood drawing, 118
- $n_c(C)$, 327
- st -graph, 225
- t -track layout, 460
- relative position, 711
- MONOTONE3SAT, 700
- MONOTONEPLANAR3SAT, 700
- PARTITION, 704
- PLANAR3SAT, 713
- 1-tough, 126
- 3-cycle, 61
- 3D drawing, 665, 683
- 3D embedding, 606, 612
- 3D grid drawing, 457
- 3D hyperbolic space, 793
- 3D orthogonal drawing, 466
- 3D polyline drawing, 465
- $Q_{cc}(C)$, 327
- $n_{cc}(C)$, 327
- ABACUS, 545, 563
- access control, 668
- accumulation tree, 435
- Ackermann function, 68
- acyclic, 224
- acyclic subgraph, 547
- adaptive tree drawing, 184
- aesthetic criteria, 122
- aesthetics, 157
- AGD, 544, 563
- AJAX, 694
- algebraic pricing, 63
- algorithm
 - Auslander-Parter, 12–14
 - Boyer-Myrvold, 27–31
 - Coffman-Graham, 421
 - de Fraysseix-Ossona de Mendez-Rosenstiehl, 15–17
 - Hopcroft-Tarjan, 14–15
 - k-means, 727
 - Lempel-Even-Cederbaum, 21–24
 - Rectangular-Draw, 332
 - Shih-Hsu, 24–27
- algorithm animation, 738, 744
- algorithm simulation, 740
- almost planar graph, 77
- amino acid, 625
- angular resolution, 223, 225, 712

- animation, 627
- apex graph, 77
- approximation algorithm, 76
- approximation factor, 68
- architectural floorplanning, 319
- area, 157
- area of a grid drawing, 225
- Artificial graphs, 73
- aspect ratio, 157
- assignment heuristic, 435
- augmentation, 547, 606
 - biconnected, 547
 - fixed embedding, 547
 - planar biconnected, 547
- Automatic label placement, 489
- automorphism, 89
- Autonomous Systems, 665
- autonomous systems, 779
- averaging, 435
- Axial Geometric Automorphism Problem, 96

- B-node, 67
- bad cycle, 324
- barycenter, 435, 747
- barycenter heuristic, 555
- barycenter method, 197
- barycentric representation, 216
- barycentric representations, 383
- BC-tree, 3, 67, 68, 547
 - dynamic, 548
- bend, 156, 248
- bend minimization, 238
- BGP, 665, 779, 794
- biconnected, 197, 224, 288
- biconnected component, 3
- biconnected components, 197, 547
- binary tree, 163
- biological network, 621
- bipartite, 54
- bipartite drawing, 79
- bipartite crossing minimization problem, 54
- bipartite crossing number problem, 50
- bipartite drawing, 50
- bisection width, 49, 77
- block, 3
- block tree, 547
- block-cutvertex tree, 3, 67
- block-nesting depth, 548
- blocks, 197

- book embedding, 251
- Border Gateway Protocol, 665
- botanical tree, 184
- boundary face, 328
- boundary path, 328
- bounding box, 458
- box-drawings, 470
- box-rectangular drawing, 319, 337
- branch-and-bound tree, 62
- branch-and-cut, 55, 66, 437
- branch-and-cut approach, 62
- branching variable, 62
- branding, 682
- bridge, 3, 714
- brin, 601
- bush, 22
- bush form, 22

- c-connected, 561
- C-node, 67
- c-planarity, 561
- canonical order, 550
- canonical ordering, 199–202, 240, 260
- canonical ordering , 227
- capacity, 231
- caterpillar, 266
- CCMP, 68
- cellular compartment, 624
- centrality, 814
- characteristic matrix, 635
- checkers, 144
- chordal, 369
- chromatic number, 457, 459, 461
- circle, 631
- circle layout, 640
- circle packing, 368
- circular crossing minimization problem, 54
- circular drawing, 285
- cladistic methods, 635
- cladogram, 640
- class-cover catch digraphs, 143
- clockwise leg, 327
- closed proximity drawing, 117
- closed strip drawings, 119
- cloud computing, 673, 693
- cluster tree, 561
- clustered drawing, 656, 816
- clustered graph, 31, 561
- clustered planarity, 31
- cohesion, 815

- COIN-OR, 545, 563
- colored simultaneous embedding, 365
- column generation, 62
- combinatorial column generation, 63
- combinatorial map, 601
- compaction, 552, 580
- comparability graph, 369
- compartment, 624
- complete bipartite graph, 43, 49
- complete graph, 49
- complex biological network, 623
- component
 - biconnected, 3
 - connected, 3
 - triconnected, 3
- compound, 621
- compound graph, 562
- compressed-scanning, 674
- computer games, 682
- computer network, 683
- computer networks, 763
- cone trees, 162
- connected, 197, 224
- connected component, 3
- connectivity, 605
- constrained edge insertion, 68
- constrained visibility representation, 234
- constraint graph, 552
- constraints, 55, 573, 585, 745, 753
 - hard, 715
 - soft, 715
- contact representation
 - contacts of segments, 612
 - contacts of T, 612
- contraction
 - edge, 714
- convex, 196
- convex drawing, 196, 212, 220, 609
- convex faces, 550
- convex hull, 55
- coordinates assignment, 555
- counterclockwise leg, 327
- country map, 663
- cover tree, 200
- critical cycle, 327
- crossing, 45, 460
- crossing minimization, 548
 - 2-layer, 555
 - k -layer, 555
 - upward, 557, 564
- crossing minimization problem, 43, 63
 - fixed linear, 46
- crossing number, 43, 45, 288
- crossing number matrix, 434
- crossing number problem, 50, 563
- crossing reduction, 288, 292
- crossing shadow, 61
- crossing-reduction, 747
- curve
 - Bézier, 718
 - cubic, 701
 - Bézier
 - cubic, 725
 - Catmull–Rom spline, 709
- curve embedding, 260
- curvogram, 640
- cutvertex, 3, 67, 71
- cutwidth, 49
- cycle
 - attached, 326
 - clockwise, 327
 - closed, 631
 - counterclockwise, 327
 - definition, 3
 - fundamental, 15
 - length, 3
 - open, 631
- cycle space, 439
- DAG, 224, 675
- dart, *see* brin
- data analytics, 682
- data privacy, 673
- data reduction, 699
- data-oblivious, 674
- decision graph, 320, 321
- degree, 178
- degree of a face, 236
- degree of a vertex, 224
- Delaunay drawing of order h , 121
- Delaunay triangulation, 121
- dendrogram, 639
- depth first search, 10, 288
 - highpoint, 11
 - index, 11
 - lowpoint, 11
 - tree, 11
- depth of a graph, 8
- Depth-First Search, *see* DFS
- design patterns, 687

- destination, 224
- details on demand, 687
- DFS, *see* depth first search, 603
- DFS cotree-critical graph, 603
- diagram
 - Voronoi, 727
- digraph, 224
- directed acyclic graph, 224, 675
- directed edge, 224
- directed graph, 224
- directed local minimum spanning trees, 143
- directed path, 224
- directed relative neighborhood graphs, 143
- direction
 - octilinear, 714
- directions
 - octilinear, 712, 713, 715, 716
- disconnected graph, 104
- discrete curve evolution, 713
- distance matrix, 635
- DNA, 621, 622
- document type definition, 519
- dominance drawing, 675
- dominance drawings, 557
- drawing, 2, 45
 - c-planar, 31
 - orthogonal, 712
 - outerplanar, 2
 - planar, 2
- drawing style
 - curvilinear, 718
- drawing convention, 156
- drawing style
 - octilinear, 712–714
- dual edge, 196
- dual face, 195
- dual graph, 6, 195, 256
- dual vertex, 195
- dual-like, 319
- dummy vertex, 64
- dynamic graph, 401
- dynamic graph drawing, 369, 752
- dynamic graphs, 823
- edge
 - adjacent, 2
 - bundling, 711
 - dummy, 724
 - incident, 2
 - minimal, 725
 - self-loop, 2
 - subdivision, 2
 - transitive, 725
 - virtual
 - of a bush, 22
 - of a skeleton, 3
- edge insertion, 550
 - fixed embedding, 70, 550
 - general framework, 68
 - permutation, 69
 - postprocessing, 69
 - upward, 557
 - variable embedding, 71, 550
- edge insertion problem, 64
- education, 737
- EIP, 64
- ELP (Edge Label Placement) problem, 497
- email, 793
- embedded planar graph, 248
- embedding, 3, 195, 225, 248
 - simultaneous, 31
- embedding circle, 285
- empty region graphs, 120
- empty tree, 156
- enclosing rectangle, 156
- enzyme, 628
 - network, 630
- Euler inequalities, 66
- Euler tour, 675
- Euler's formula, 47, 197
- evolution, 623
- evolutionary tree, 636
- executive dashboards, 684
- exercise systems, 740
- exploration systems, 741
- extended dual graph, 70
- Extensible Stylesheet Language Transformations, 534
- face, 2
 - external, 2
 - outer, 2
- faces, 195
- facet, 57
- fan triplet, 271
- fast multipole multilevel embedder, 559
- fast multipole multilevel method (FM³), 559
- feasible solution, 55
- feedback arc set, 547
- file permissions, 668

- filled triangle, 138
- filter, 687
- Fixed Point Free Automorphism Problem, 96
- fixed-parameter tractable, 54
- fixed-parameter tractable, 434
- flag, *see* brin
- flow, 231
- flow network, 231
- flow value, 231
- force directed, 97
- force-directed, 370, 383, 656, 657, 659, 666, 744, 753
- format conversion, 536
- frame graph, 138
- fundamental cycle, 15

- Gabriel drawing, 117
- Gabriel graph, 115
- Gabriel region, 117
- Galois lattice representation, 821
- GDToolkit, 571
- GEM algorithm, 559
- gene regulation, 623
- gene regulatory
 - network, 622, 623
 - pathway, 623
- generalization, 697
 - continuous, 700
- genus, 78
- geographic information system (GIS), 697
- geometric automorphism, 91
- Geometric Automorphism Drawing Problem, 95
- geometric automorphism group, 91
- geometric network, 697
- geometric simultaneous embedding, 31
- geospatial map, 684
- GFLP (Graphical Feature Label Placement)
 - problem, 493
- global proximity, 116
- GMap, 727
- gml2pic, 546
- good cycle, 324
- good drawing, 46
- graph
 - k colorable, 6
 - biconnected, 3
 - bipartite, 6
 - clustered, 31
 - co-authorship, 728
 - complete, 6
 - connected, 3
 - definition, 2
 - depth, 8
 - directed, 2
 - induced by a vertex set, 2
 - induced by an edge set, 2
 - intersection, 2
 - near-plane, 698, 711
 - outerplanar, 2
 - outerplanarity, 8
 - planar, 2
 - plane, 3, 699
 - simple, 2
 - simply connected, 3
 - subdivision, 2
 - subgraph, 2
 - triconnected, 3
 - undirected, 2
 - union, 2
 - width, 8
- graph drawing
 - box-rectangular drawing, 319, 337
 - rectangular drawing, 317
- graph theoretic distance, 388
- GraphML, 517
- greedy insert heuristic, 555
- greedy insertion, 435
- greedy switch heuristic, 555
- greedy switching, 435
- grid
 - integer, 714
- grid drawing, 156, 197, 225
- grid-variant, 559

- half-edge, *see* brin
- Hamiltonian, 249
- Hamiltonian cycle, 249
- Hamiltonicity, 274
- head vertex, 327
- hexagonal tree drawing, 185
- hierarchical index, 410
- hierarchical layout, 744, 753
- hierarchy, 411
- higher order Delaunay triangulation, 121
- hill climbing, 714
- hull
 - convex, 724
- hyperbolic space, 397

- hyperbolic tree, 183, 397
- hypercube, 49
- hyperedge, 76
- hypergraph, 76, 527, 820
- hypervertex, 76
- hypothetical taxonomic units, 636

- inclusion drawing, 816
- incoming edge, 224
- incremental planarity testing, 67, 68
- indegree, 224
- information visualization, 687
- information-seeking mantra, 687
- inner angle, 320
- inner triangulated plane graphs, 138
- integer linear program, 55
- interconnection technologies, 764
- Internet service provider, 785
- Internet structure, 765
- Internet visualization, 779
- intersection drawings, 122
- interval representation, 369
- intrusion detection, 656, 793
- IPv6, 793
- isomorphism, 89
- ISP network visualization, 785

- k-layered drawing, 248
- k-radial drawing, 249
- k-spine drawing, 249
- Kandinsky, 576
- Kandinsky layout, 553
- kissing number, 124
- knowledge discovery, 687
- Kuratowski subdivision, 603
- Kuratowski inequalities, 66
- Kuratowski subdivision, 57, 563
- Kuratowski's theorem, 55

- Label placement, 489
- label quality
 - rules for the MLP problem, 504
 - basic rules, 490
- LabelHints, 714
- Labeling algorithms, 489
 - for the ELP problem, 497
 - for the GFLP problem, 493
 - for the MLP problem, 504
 - for the NLP problem, 502
- Labeling Problem, 489
 - definition, 492
- Large Parsimony, 638
- lattice representation, 821
- layer-by-layer sweep, 438
- layered drawing, 184, 247, 248, 666, 670, 672
- layered planar graph, 272
- layering, 633
 - proper, 633
- layout method
 - force-directed
 - Fruchterman-Reingold, 725
- left-right partition, 15
- level graph, 411
- life science, 621
- linear crossing minimization problem, 54
- linear crossing number, 46
- linear drawing, 46
- linear ordering, 436
- linear ordering problem, 60
- linear program, 55
- LineDrive, 699
- linked bar charts, 687
- linkless, 479
- local minimum spanning trees, 143
- local network, 789
- Lombardi drawing, 400
- lower bound, 236
- LP, 55
- LR-partition, 15
- lune, 118
- lune-based, 119

- Manhattan distance, 197
- map, *see* combinatorial map
 - mental, 698
 - metro, 711, 712
 - schematic, 711, 712
 - street, 711, 720
- matched drawings, 367
- matching, 322
 - maximum, 322
 - perfect, 322
- maximal planar graph, 195, 225
- maximal planar subgraph, 67, 68
- maximum degree of a graph, 224
- Maximum Likelihood, 638
- maximum matching, 322
- Maximum Parsimony, 637
- maximum planar subgraph, 66

- maximum planar subgraph problem, 48, 64, 549
- maximum weight planar subgraph, 66
- maximum weight triangulations, 143
- MCM, 319
- median, 435
- median heuristic, 555
- mental map, 402, 701, 752
- metabolic
 - network, 623, 628
 - path, 628
 - pathway, 628, 630
 - reaction, 628
 - simplified network, 630
- metabolite, 628
 - network, 630
- metaphor
 - metro-map, 718
 - political map, 727
- min-cost flow formulation, 724
- minimal energy state, 385
- minimum spanning tree, 122
- minimum weight drawable (for C), 122
- minimum weight drawing of G with respect to P , 122
- minimum weight triangulation, 123
- minor, 457
- minor crossing number, 76
- minor-closed, 457
- MIP solver
 - CPLEX, 716
 - Gurobi, 716
- mixed integer linear program, 55
- mixed-model layouts, 551
- MLP (Multiple Label Placement) problem, 504
- modified Gabriel drawing, 117
- modified Gabriel region, 117
- Modified Optimal Linear Arrangement, 288
- module options, 545
- module types, 545
- modules, 317, 545
- molecular biology
 - central dogma, 621
- moment curve M , 458
- morphing, 371
 - polygonal line, 700
- MPSP, 64
- multi-dimensional scaling, 727
- multi-scale method, 391
- multichip module, 319
- multidimensional scaling, 97, 396
- multigraph, 224
- multilevel algorithms, 559
- near-planar graph, 77
- Nearest Neighbor Interchange, 638
- nearest neighbor drawing, 121
- negative witness proximity drawing, 134
- Neighbor-Joining, 637
- neighbors, 224
- nested graphs, 525
- network
 - biological, 621
 - complex biological, 623
 - enzyme, 630
 - gene regulatory, 622, 623
 - metabolic, 622, 628
 - metabolite, 630
 - protein-protein interaction, 622
 - signal transduction, 622, 623
 - simplified metabolic, 630
- network model, 764
- network monitoring, 656
- network scans, 659
- network traffic, 657
- NLP (Node Label Placement) problem, 502
- non-planar core, 563
- non-upward drawing, 156
- nonbiconnected, 296, 297
- NP-complete, 50, 55
- NP-hard, 44, 48–50
- NS-path, 328
- objective function, 55
- octopus map, 663
- odd-crossing number, 45
- OGDF, 543–564
- OGML, 546
- open proximity drawing, 117
- Open Graph Drawing Framework, 543
- Open Graph Markup Language, 546
- Open Problems Project, 699
- open strip drawings, 119
- operational taxonomical units, 636
- optimal linear arrangement problem, 50
- optimal solution, 55
- optimization
 - multicriteria, 714
- order dimension, 212

- ordered tree, 155
- orientation, 60
- origin, 224
- orthogonal box drawings, 456
- orthogonal drawing, 156, 225, 234, 580
- orthogonal layouts, 552
 - bend minimization, 552
- orthogonal representation, 576
- orthogonal shape, 236, 574
- outdegree, 224
- outer angle, 320
- outer vertex, 19
- outerplanar, 291
- outerplanar embedded graph, 263
- outerplanar graph, 195
- outerplanarity, 9, 263
 - measure, 8
- outgoing edge , 224
- overview, 687
- overview first, zoom and filter, then details
 - on demand, 687

- P-node, 67
- pagenumber, 251
- pages, 251
- pairwise crossing number, 45
- palm tree, *see* depth first search, tree
- parsimony
 - large, 638
 - maximum, 637
 - small, 637
 - weighted small, 637
- partial Delaunay triangulations, 143
- partial tree, 166
- partition
 - aligned, 16
 - left-right, 15
 - LR-partition, 15
- partition-pair, 330
- partitioning path, 328
- path
 - addition, *see* algorithm, Hopcroft and Tarjan
 - definition, 3
 - length, 3
- PC-tree, 24
- peer-to-peer networks, 793
- peptide bonds, 625
- perfect matching, 322
- permutation, 434
- permutation graphs, 369
- phenetic methods, 635
- phylogenetic tree, 636
- phylogram, 639
- PIGALE, 599
 - geometric graph, 603
 - graph, 603
 - graph properties, 602
 - map, 601
 - acir, 602
 - cir, 602
 - pbrin, 602
 - vin, 602
 - supported platforms, 599
 - topological graph, 603
- plan
 - cable, 712, 724
- planar, 195, 248
- planar *st*-graph, 225
- planar augmentation problem, 547
- planar automorphism, 98
- planar automorphism group, 98
- planar drawing, 156, 225
- planar drawing algorithm, 44
- planar embedding, 225, 574
 - maximal external face, 548
 - minimal block-nesting depth, 548
- planar graph, 225, 459, 675
- planar layout, 550
 - straight-line, 550
- planar orthogonal drawing, 238
- planar polyline drawing, 239
- planar straight-line drawing, 193–220
- planar subgraph, 44, 64, 66
- planar subgraph polytope, 66
- planar subgraphs, 549
- planarity
 - clustered, 31
 - constrained, 8
 - simultaneous, 31
 - testing, 603
 - upward, 9
- planarity test, 57, 67
- planarity testing, 548, 576
- planarization, 711
- planarization approach, 44, 63, 552, 563
 - clustered graphs, 561
- planarized representation, 64
- plane dual, 6
- plane graph, 225

- dual, 6
- podevsnef, 576
- point
 - characteristic, 701
- point-drawings, 466
- point-set embeddability, 276
- point-set embedding, 253, 276
- Polrec drawing, 610
- polygon, 196
- polygonal line simplification, 699, 712, 713
- polyhedral combinatorics, 55
- polyline drawing, 156, 225, 248, 580
- ports, 528
- positive witness proximity drawing, 134
- PQ-tree, 68
- PQ-trees, 548
- PrEd, 714
- privacy settings, 671
- product, 628
- program visualization, 741
- projective graph, 78
- prominence, 812
- proper layered drawings, 267
- protein, 622, 625
- protein-protein interaction, 625
 - network, 622, 625
- proximity drawing checker, 144
- proximity graph, 115
- proximity region, 116
- Public Implementation of a Graph Algorithm Library and Editor, *see* PIGALE
- Q-node, 67
- quasi-orthogonal layouts, 552
- quasi-static graph, 601
- quasi-upward, 578
- quasi-upward planar representation, 579
- queue layout, 463
- quicksort, 435
- R-node, 67
- radial drawing, 260, 269, 666
- radial drawings, 159, 247
- random field layout, 725
- random map, 609
- rank assignment, 554
- ranking
 - Coffman-Graham, 554
 - longest paths, 554
 - optimal, 554
- reactant, 628
- real-time visual reports, 685
- realizability problem, 57
- realizable, 58, 59
- realizer, 212
- realizer method, 199, 212–220
- rectangle of influence, 120
- rectangle of influence drawing, 120
- rectangle visibility, 478
- rectangular drawing, 317
- rectangular dual, 344
- rectilinear crossing number, 45
- rectilinear drawing, 610
- recurrent hierarchies, 444
- region of influence, 116
- regular labeling, 321
- relative neighborhood drawing, 118
- relative neighborhood region, 118
- relative position, 714
- relatively closest drawing, 118
- relatively closest region, 118
- returning edge, 11
- ringed circular layout, 165, 178, 180
- RNA, 622
- Rome graphs, 56, 73, 563
- root
 - of connected component, 24
- route map, 699
- route planner, 699
- routing protocols, 765
- S-node, 67
- SBGN, 645
- SCHEMAP, 724
- SeeNet3D, 726
- semantic constraints, 247
- sensor networks, 793
- separating k -set, 196
- separating edge, 197
- separation pair, 3, 71
- separation pairs, 196
- separation problem, 62
- separator edge, 162, 166
- series-parallel graph, 675
- shelling order, 550
- shift method, 199, 202–212
- shifting set, 227
- sifting, 438
- sifting heuristic, 555

- signal transduction, 623
 - network, 622, 623
 - pathway, 623
- simple, 58
- simple drawing, 57, 58
- simulated annealing, 386, 559
- simultaneous embedding, 31, 351, 364
 - geometric, 31
 - with fixed edges, 31
- simultaneous embedding with fixed edges, 350, 357
- simultaneous geometric embedding, 350, 352
- simultaneous planarity, 31
- single edge insertion, 68
- sink, 224, 231
- skeleton, 124, 548
- sketch, 724
- skewness, 48
- Small Parsimony, 637
- social networks, 671, 793, 805
- sociomatrix, 817
- software visualization, 743
- source, 224, 231
- space tree, 184
- spanning tree, *see* tree, spanning a graph, 67, 68
- spectral analysis, 606
- sphere of influence, 122
- sphere-of-attraction graphs, 143
- spine, 171, 251
- spine drawing, 251, 266, 268
- spine drawings, 247, 249
- spiral, 631
- split, 435
 - component, 3
 - operation, 3
- split heuristic, 555
- SPQR tree, 101
- SPQR-tree, 4, 67, 68, 547, 563, 576
 - dynamic, 548
- spring, 385
- spring embedder, 610
- spring embedder, 385, 559, 656, 714
- square drawings, 134
- st-numbering, 22
- s - t -planar digraph, 558
- star insertion, 74
- star triangulation, 99
- status, 812
- stochastic heuristic, 435
- straight-line, 157
- Straight-line drawing, 609
- straight-line drawing, 195, 225, 248
- streaming, 823
- stress majorization, 396
- strictly convex, 196
- strictly convex drawing, 196
- strong visibility drawing, 136
- sub-Hamiltonian, 249
- subdivision, 57
- substance, 628
 - co-, 628
 - main, 628
- substance-based designs, 810
- subtree, 156
- subtree-separation, 158
- Sugiyama framework, 410
- Sugiyama method, 410
- Sugiyama's framework, 554, 562, 564
- survivable telecommunication networks, 287
- symmetric lens, 118
- symmetry, 87, 91, 385, 480, 606, 675
- t -polygonal crossing number, 46
- t -polygonal drawing, 45
- tail vertex, 327
- task-specific visualizations, 688
- taxon, 634
- taxonomical units
 - hypotetical taxonomic, 636
 - operational taxonomic, 636
- template region, 120
- tessellation representation, 368
- theorem
 - four-color, 728
- thickness, 49, 473
- three-dimensional straight-line grid drawing, 457
- timetable graph, 725
- topological book embedding, 255
- topological ordering, 225
- topology-shape-metrics approach, 552, 561, 573
- toroidal graph, 78
- track-number, 460
- trajectory, 701
- transitive
 - closure, 421
 - edge, 421
 - reduction, 421

- tree, 675
 - BC-tree, 3
 - PC-tree, 24
 - PQ-tree, 24
 - spanning a graph, 2
 - SPQR tree, 4
- tree layouts, 554
- treemap, 662, 670, 672, 675
- trees, 752
- triangulated plane graphs, 138
- triconnected, 197, 224
- triconnected component, 3
- triconnected components, 67, 197, 547, 563
- Tutte, 197
- Tutte drawing, 610
- Tutte's barycenter method, 559
- two-mode network, 819

- unit distance graph, 143
- Unweighted Pair Group Method with Arithmetic Mean, 636
- upward, 464
- upward drawing, 76, 156, 578, 670, 675
- upward planar representation, 557, 578
- upward planar subgraphs
 - feasible, 557
- upward planarity, 9
- upward planarity testing
 - sT -digraphs, 549, 564
- upward planarization, 557
- upward representation, 578
- user interface, 682
- user-grouped circular drawings, 303

- vertex
 - adjacent, 2
 - outer, 19
 - virtual, 22
- vertex filtration, 393
- vertex insertion, 74
- virtual edge
 - of a bush, 22
 - of a skeleton, 3
- virtual vertex, 22
- visibility drawing, 610
- visibility representation, 230, 234, 478, 557, 580
- visual design patterns, 687
- visual discovery, 686
- visual presentation, 682
- visual searching, 687
- visualization principles, 807
- VLSI, 43
- volume, 458
- Voronoi diagram, 121
- Voronoi drawing, 121

- wall, 65
- weak proximity drawings, 135
- weak visibility drawing, 136
- web, 793
- web applications, 694
- Weighted Small Parsimony, 637
- width
 - of a graph, 8
- window, 438
- wireless networks, 793
- witness Delaunay drawings, 134
- Witness proximity, 133
- Witness proximity drawings, 133

- X-crossing, 460
- XML, 517
- XML schema, 519
- XPath, 534
- XSLT, 534

- zoom, 687

