

Lecture 12

Loops

“Life is just one damn thing after another.”
-Mark Twain



“Life isn’t just one damn thing after another... it’s the same damn thing over and over and over again.”
-Edna St. Vincent Millay

Moss Demo

Outline

- Turtle
- Looping
- while Loops
- for Loops
- Choosing the Right Loops



Introduction to Turtle (1/2)




- Before we see loops, we need some tools
 - We will use a Turtle ▲ to help us understand loops
 - Turtles are based on Seymour Papert's *Logo**, a language for beginners, especially young kids
- Turtles ▲ are imaginary pens that when given instructions can draw shapes for us

*LOGO is based on Piaget's Constructivist Learning Theory and was meant to teach math and programming to kids. See LEGO Mindstorms product line, named after book by AI pioneer Seymour Papert (February 29, 1928 – July 31, 2016) "Mindstorms: Children, Computers and Powerful Ideas", 1980.

Introduction to Turtle (2/2)

- Turtles know where they are, what direction they are facing, and how to move and turn.
- Turtles can draw lines behind them as they move around the screen or just move without drawing.
- **PaneOrganizer** holds instructions for the turtle
 - reminiscent of our first Robot example...



Turtle's Methods (1 of 2)

TAs have written a **Turtle** class

```
public class Turtle {  
    // instance variables elided  
  
    /* constructor for Turtle instantiates a Polygon  
       representing the Turtle graphically */  
    public Turtle() {  
        // some code here  
    }  
  
    /* reset turtle to center of pane */  
    public void home() {  
        // some code here  
    }  
  
    /* turn right a specified number of degrees */  
    public void right(double degrees) {  
        // some code here  
    }  
  
    /* turn left a specified number of degrees */  
    public void left(double degrees) {  
        // some code here  
    }  
  
    // continued
```

Turtle's Methods (2 of 2)



```
/* move forward a specified distance, drawing a line as the turtle
moves */
public void forward(int distance) {
    // some code here
}
/* move backward a specified distance, drawing a line as the turtle
moves */
public void back(int distance) {
    // some code here
}
/* move turtle to a specified position without
drawing a line */
public void setLocation(Point2D loc) {
    // some code here
}
/* return turtle's location */
public Point2D getLocation() {
    // some code here
}
/* return the Polygon (the triangle) contained in Turtle class so
that we can graphically add it in the P.O.*/
public Shape getShape() {
    // some code here
}
```

Drawing with **Turtle** (1/2)

- Need class to tell **Turtle** how to draw some basic shapes
 - will contain a **Pane** and a **Turtle**
 - will have methods for each shape we want to draw
- First, determine what shapes we want
 - this lecture: square, random walk



Drawing with Turtle (2/2)

- How will we code it?
 - create `PaneOrganizer` class which defines methods for drawing each shape
 - `PaneOrganizer` also instantiates the root `Pane` that the `Turtle` will draw on and contains the `Turtle`. The root is returned in `getRoot()`
 - `Turtle` is a **wrapper class** that contains a polygon (a triangle) and defines methods for how the `Turtle` will move; it can also return its polygon as a node via `getShape()`

```
public class PaneOrganizer {  
    // draws each pattern  
    private Turtle turtle;  
  
    private Pane root;  
  
    public PaneOrganizer() {  
        this.root = new Pane();  
        this.turtle = new Turtle();  
        this.root.getChildren().add(this.turtle.getShape());  
    }  
    public Pane getRoot() {  
        return this.root;  
    }  
    // methods for each geometric pattern to follow...  
}
```

`getShape()` just returns the triangle contained in `Turtle` class so it can be added to the Scene Graph

Note: Because this is a very small program, our logic is in our `PaneOrganizer` rather than a top-level logic class like we do in CS15 projects




A Repetitive Solution (1/2)

- Let's write `drawSquare` method in the `PaneOrganizer` class
- Brute force: write line of code for each side of the square

```
public void drawSquare(int sideLen) {  
    this.turtle.forward(sideLen);  
    this.turtle.right(90);  
    this.turtle.forward(sideLen);  
    this.turtle.right(90);  
    this.turtle.forward(sideLen);  
    this.turtle.right(90);  
    this.turtle.forward(sideLen);  
    this.turtle.right(90);  
}  
}
```

A Repetitive Solution (2/2)

- What if we wanted to make a more general method that handles regular shapes such as pentagons or octagons?
 - need to call `forward()` and `right()` for each side
 - cannot determine in advance how many sides we need in generic method
 - note that we're using the `Turtle`'s primitive methods to generate higher-level shapes that are normally already defined in JavaFX
- There must be an easier way!



Outline

- Turtle
- Looping
- while Loops
- for Loops
- Choosing the Right Loops



Looping (1/2)

- Execute a section of code repeatedly
 - uses **booleans** (**true** and **false**) as loop conditions; continues looping as long as condition is **true**, but when **boolean** is **false**, loop condition equals exit condition and loop is terminated
 - as with conditionals, code in loop can be a single line or many lines enclosed in curly braces
 - section of code executed is called loop's **body**




Looping (2/2)

- Three loop structures in Java
 - `while` loop
 - `do while` loop
 - `for` loop
- Differ in relation between body and loop condition, as well as length of execution
- Let's look at `while` loop first



Outline

- Turtle
- Looping
- while Loops
- for Loops
- Choosing the Right Loops



The **while** loop (1/2)

- Executes **while** stated condition is true
 - tests loop condition **before** executing body
 - if loop condition is **false** first time through, body is not executed at all

```
while (<loop condition>) {  
    <loop body>  
}
```

The `while` loop (2/2)

- Examples of loop conditions:

`numClasses < 6`

`peopleStanding <= maxPeople`

`this.checkAmount() <= acctBalance`

`this.isSquare() //predicate, a method that returns a boolean`


- Follows the same rules as conditions for `if-else` statements
- Multiple conditions can be combined using logical operators
(`and (&&)`, `or (||)`, `not (!)`)

`(numClasses >= 3) && (numClasses <=5)`

`(peopleStanding <= maxPeople) || (maxPeople < 50)`


while loop Flowchart (1/2)

- `while` loops continue **while** the loop condition is `true`
- `<loop condition>` can be any Boolean expression




while loop Flowchart (2/2)

- `while` loops continue **while** the loop condition is `true`
- `<loop condition>` can be any Boolean expression





All Flow of Control Structures: 1-in, 1-out



- Benefits of **predictable** flow of control:
 - much easier debugging
 - compiler can optimize much better
- Different from “spaghetti” code (unorganized and difficult to maintain code) with **goto** methods to allow program to jump to an arbitrary line of code
 - *Go To Statement Considered Harmful* letter by Edsger Dijkstra, CACM, 1968
 - **if-else**, etc., are “structured flow-of-control”: one-in, one-out



So, just how bad is goto?



Source: <https://xkcd.com/292/> (XKCD, A Webcomic of Romance, Sarcasm, Math, and Language)

Syntax: Random Walk Using `while`

- Method in `PaneOrganizer` class:

- draws random lines while `this.turtle` is within its pane

```
public void randomWalk() {  
    // while this.turtle's position is inside its pane, move this.turtle randomly  
    // this.turtle's initial location set to (0,0)  
    while (this.root.contains(this.turtle.getLocation())) {  
        this.turtle.forward((int) (Math.random()*15)); // cast to [0-14]  
        this.turtle.right((int) (Math.random()*360)); //cast to [0-359]  
    }  
}
```

- On last step of walk, `turtle` will move forward out of pane
 - the line is *clipped* by JavaFX since we don't explicitly tell it to *wrap around*
 - no point in continuing to walk outside the pane

TopHat Question 1

Join Code: 316062


What is the value of `tempSum` after this `while` loop is terminated?

```
int tempSum = 0;  
while(tempSum < 10) {  
    tempSum += 3;  
}
```

- A. 10
- B. 9
- C. 12
- D. The loop will never terminate

The `do while` Loop

- `do while` always executes loop body at least once by switching order of test and body
- `<loop condition>` is Boolean expression



Example: Another Random Walk

- Method of `PaneOrganizer` class:
 - draws random lines while turtle is within pane
 - `this.turtle` starts in center of root pane, so first step guaranteed to be within pane

```
public void centeredRandomWalk() {  
    // moves turtle to pane's center  
    this.turtle.home();  
  
    // moves turtle randomly within pane  
    do {  
        this.turtle.forward((int)(Math.random()*15));  
        this.turtle.right((int)(Math.random()*360));  
    } while (this.root.contains(this.turtle.getLocation()));  
}
```

Note the semicolon at the end of while statement



do while vs. while (1/2)

- In both loops:
 - stops executing body if loop condition is `false`
 - must make sure loop condition becomes `false` by some computations to avoid an “infinite loop”
 - **infinite loop** means your loop condition will never turn `false` – i.e., exit condition never occurs (and your program “freezes up”!)

do while vs. while (2/2)

- **do while**
 - body always executes at least once
 - loop condition tested at bottom of loop body
- **while**
 - body may not execute at all
 - loop condition tested before body; loop condition variables must be set before loop entry
 - useful for screening bad data that might cause statements within loop to fail
(e.g. `while (ref != null)`)

TopHat Question 2

Join Code: 316062

What's the difference between these two loops?

Loop 1:

```
while(andyIsAway()) {  
    this.tas.takeADayOff();  
}
```

Loop 2:

```
do {  
    this.tas.takeADayOff();  
} while (andyIsAway());
```

- A. In the second loop, the condition is tested before the body
- B. In the second loop, the TAs always take at least 1 day off
- C. In the first loop, the body is executed before the condition is tested.
- D. There is no difference between the two loops

Outline

- Turtle
- Looping
- while Loops
- for Loops
- Choosing the Right Loops



for loops (1/4)

- Most specialized loop construct (and the first high-level, `goto`-less loop in FORTRAN): typically used to execute loop body a **predetermined** number of times
 - `while` and `do while` loops can execute body for undetermined number of times; based on `boolean`
- This is the syntax for a `for` loop:

```
for (<init-expr>; <loop condition>; <update>) {  
    <loop body>  
}
```

for loops (2/4)

```
for (<init-expr>; <loop condition>; <update>) {  
    <loop body>  
}
```

- <init-expr>
 - expression for setting initial value of loop counter (traditionally use single char. identifier; e.g., `int i = 0`); also called loop index
 - executed at **start** of loop code, only once, not for each time through the loop

for loops (3/4)

```
for (<init-expr>; <loop condition>; <update>) {  
    <loop body>  
}
```

- <loop condition>
 - true or false
 - test involves loop counter to determine if loop should execute (e.g. `i < 5`)
 - checked at **start** of every loop (including the first)

for loops (4/4)


```
for (<init-expr>; <loop condition>; <update>) {  
    <loop body>  
}
```

- <update>
 - expression that modifies loop counter
 - executed at **end** of every <loop body>, just before returning to the top of the loop
 - (e.g. **i++**) this would increase the loop counter by 1 each loop

drawSquare Revised


- Better way of drawing square rather than explicitly drawing each side:

```
public void drawSquare(int sideLen) {  
  
    /* start with integer i initialized to 0;  
    execute as long as i < 4; each execution  
    increments i by 1 at the bottom of the loop */  
  
    for (int i = 0; i < 4; i++) {  
        this.turtle.forward(sideLen);  
        this.turtle.right(90);  
    }  
}
```



for Flowchart

- for loop has four parts
 - initialize value of counter
 - test loop condition
 - loop body
 - update counter




for Flowchart

- We can use an example of a student reading books on different floors of the SciLi.

```
Student student = new Student("Sarah");
student.goToSciLi();

for (int floor = 1; floor < 15; floor++){
    student.readBook(); //read a new book
}

student.goHome();
```



Note: For this example, we use the old SciLi, where every floor had books!

Outline

- Turtle
- Looping
- while Loops
- for Loops
- Choosing the Right Loops



Choosing the Right Loop (1/2)

- `for` loop is called a **definite** loop because you can typically predict how many times it will loop
- `while` and `do while` loops are **indefinite** loops, as you do not know when they will end
- `for` loop is typically used for math-related loops like counting finite sums and sequentially looping through elements of an array (Thursday's Lecture)

Choosing the Right Loop (2/2)

- `while` loop is good for situations where `boolean` condition could turn `false` at any time
- `do while` loop is used in same type of situation as `while` loop, but when code should execute at least once
- *When more than one type of loop will solve problem, use the cleanest, simplest one.*

TopHat Question 3

Join Code: 316062

What is the value of **sum** at the end of the following loop?

```
sum = 0;  
for (int i = 0; i <= 10; i+=2) {  
    sum++;  
}
```

- A. 10
- B. 11
- C. 5
- D. 6

Syntax: Nested Loops


- Loops, just like `if` statements, can be **nested**!
- Example: `drawFilledSquare`

```
public void drawFilledSquare(int sideLen) {  
    // fill in concentric squares  
    for (int i = 0; i < (sideLen/2); i++) {  
        for (int j = 0; j < 4; j++) {  
            this.turtle.forward(sideLen - (2*i));  
            this.turtle.right(90);  
        }  
        /* note we can use loop counter R/O (read-only)  
        in body but never reset it there! */  
        // position turtle for next iteration  
        this.turtle.right(90);  
        this.turtle.forward(1);  
        this.turtle.left(90);  
        this.turtle.forward(1);  
    }  
}
```

- What does this do?
 - decrementing `sideLen` by 2 each iteration to guarantee that each “inner square” drawn in the inner loop is exactly one unit away on either side from square immediately “outside” of it (hence, one + one = two)

Syntax for Nested Loops Explained

- Turtle is represented by 
- What is the outer loop doing?
 - first draws outer square



- ▲ Turtle starts upright!
- ▶ Rotate 90 degrees right!
- ▶ Move forward 1 unit!
- ▲ Rotate 90 degrees left!
- ▲ Move forward 1 unit!
- ▲ Draw inner square

`drawFilledSquare` draws concentric squares; each individual square is drawn using the nested loop

Note: Diagram is misleading in that lines should be a pixel unit wide so the filled square will look solid

Looping to Make a Filled-in Design(1/2)

- 3D Printing Food!!



Looping to Make a Filled-in Design (2/2)

- 3D Printed House



Decrementing Counter

- We can count backwards in our loop too
 - just change the counter update expression
 - in fact, we can update however we want

```
public void countDownSeconds(){  
    /*change counter to decrement, and change the loop condition accordingly */  
    for(int i = 5; i > 0; i--){  
        System.out.print(i);  
    }  
}
```

Output:
54321

- **for** loops end in one of two ways
 - when counter value equals limit (for **<** or **>**)
 - when counter value “goes past” limit (for **<=** or **>=**)
 - thus, **countDownSeconds()** would also print 0 if used **i >= 0**
 - **beware of such “off-by-one” errors! → hand simulation really helps!**

break

- **break** causes immediate exit from a flow-of-control structure (e.g., **switch**, **while**, **do while**, **for**)
- Example:

```
for (int i = 0; i < 10; i++){  
    if (this.cookieJar.getNumberOfCookies() == 0) {  
        break; //If there are no cookies left, we should break out of the loop!  
    }  
    this.eatACookie();  
}  
//Execution continues here after loop is done or after break statement is executed
```

- Execution continues with first line of code after structure
- There are other ways to do this loop...

continue

- When used in `while`, `for`, or `do while` structures, `continue` skips remaining statements in body of that structure and proceeds with next iteration of loop
 - useful if there is list of data that you are looping over and you want to skip processing of data that is somehow “not legal”
- In `while` and `do while` structures, execution continues by evaluating loop-continuation condition
- In `for` structure, execution continues by incrementing counter and then evaluating loop condition

continue Example

```
/* We oversee letting kids on a rollercoaster ride if they are
tall enough */

for (int i = 0; i < 20; i++) {
    if(!ride.kidIsTallEnough(i)) {
        // if the kid at i is not tall enough
        // skip to the next iteration (the next kid in line)
        continue;
    }
    // only do this if the kid is tall enough
    this.rideRollercoaster(ride.getKid(i)); // let kid onto ride
}
// more code here
```



Boolean Predicates and Flags

- A **Boolean predicate** is a method that returns a boolean (e.g., `isLeft()`, `isAvailable()`, `kidIsTallEnough(i)`)
- A **Boolean flag** records the result of a predicate; set and saved in one place, used later in different place
- Example (implementing a `for` loop, using `while`):

```
boolean isDone = false;  
int i = 0;  
while (!isDone) {  
    i++;  
    if (i == 5) {  
        isDone = true;  
    }  
}
```

Note: Here, the Boolean flag is set within loop, which, though legal, is not practical.

TopHat Question 4

Join Code: 316062

In the loop to the right,
what is the value of **i**
upon exit?

- A. 4
- B. 5
- C. 6
- D. Infinite loop

```
boolean isDone = false;  
int i = 0;  
while (!isDone){  
    i++;  
    if(i == 5){  
        isDone = true;  
    }  
}
```

Empty Intervals

- Example scenario: we want to keep a running sum of a sequence of numbers
- What happens if we try to add integers in this loop?

```
public int sum() {  
    int tempSum = 0;  
    for (int i = 1; i < 1; i++) {  
        tempSum += i;  
    }  
    return tempSum;  
}
```

- Answer: body of loop is **not** executed
- Why?
 - loop condition is **false** for initial counter value

Correct Example

- What about this loop?

```
/*This method sums all numbers from 1
 up to and including 10 */
public int sum() {
    int tempSum = 0;
    for (int i = 1; i <= 10; i++){
        tempSum += i;
    }
    return tempSum;
}
```

- It will work!

Off-by-one Errors

- These errors occur when loop executes one too many or one too few times
 - example: add even integers from 2 to some **number**, inclusive

```
count = 2;  
result = 0;  
while (count < number) {  
    result += count;  
    count += 2;  
}
```

*Produces incorrect result if **number** is assigned an even value. Values from 2 to **number**-2 will be added (i.e., **number** is excluded)*

- should be:

```
while (count <= number) {  
    //loop body elided  
}
```

*Now, value of **number** is included in summation*

Syntax: Other Loop Errors (1/2)

- Make sure test variables have proper values before loop is entered

```
int product = 0;  
while (product < 100) {  
    product *= 2;  
}  
/* What will happen here? */
```

- Make sure tests check proper conditions

```
for (int i = 1; i != 100; i += 2) {  
    // do something here  
}  
/* Will we ever get here? */
```

TopHat Question 5

Join Code: 316062

Given the following code:

```
int num = 2024;  
do {  
    num--;  
} while (num < 2024);
```

What do you expect will happen?

- A. Loop will never end
- B. Loop will run 2024 times (until `num` is 0), then end
- C. Loop will run only once

Syntax: Other Loop Errors (2/2)

- **ALWAYS HAND SIMULATE** first, last, and typical cases in a loop to avoid off-by-one or infinite loop errors
 - the first and last cases of a loop's execution are called **boundary conditions** or **edge cases** or **corner cases**
 - hand simulation doesn't just apply to loops – use it for everything!
Trust us – it saves debugging time!



Which loop to use?

- You want to stack 17 blocks
- Your job is to stand at the end of the bowling alley and pick up all the pins, one by one, that have been knocked over
- Sleep until your clock reads 7:51AM or later



Announcements (1/2)

- Buy a T-Shirt!
- Cartoon Deadlines
 - Early due **Thursday 10/17**
 - On-time due **Saturday 10/19**
 - Late due **Monday 10/21**
- Lab 5 – GitHub and Debugging this week
 - don't forget to finish Cartoon Mini-Assignment before lab
- Fill out Doodle Jump partner project form

Announcements (2/2)

- Information about Fruit Ninja Code Debriefs tomorrow!
- Fill out Mid-Semester feedback form in lab this week
 - helpful for us to hear your thoughts on the course
- Fill out ATA feedback form in lab this week
 - helpful for us and the ATA team to continue improving

Sustainability in Tech + Techno-solutionism

Topics in Socially Responsible Computing



Sustainable Energy Usage Efforts

Google: Commits to operating on carbon-free energy 24/7 by **2030**, including data centers and campuses worldwide

Microsoft: Aims to be carbon negative by **2030**, removing all historical carbon emissions by 2050, and investing in carbon removal technologies

Amazon: Pledges to reach net-zero carbon by **2040** and is investing in renewable energy projects to power its operations.

Apple: Strives to reduce emissions by 75% by **2030** and 90% by **2050**, compared with the 2015 fiscal year

Sustainable Energy Usage Efforts

How **realistic** are these goals?

What **strategies** will they use to meet their goals?

Could these goals result in **unforeseen consequences**?

How can these companies be held **accountable**?

Government Regulation

Regulatory frameworks are crucial in driving and enforcing sustainable practices across industries

What's in a number? The meaning of the 1.5-C climate threshold

BY TOM DI LIBERTO | REVIEWED BY SARAH KAPNICK, JOE CASOLA, BRITTANY CROLL, VICTORIA MORENO, AND RUSSELL VOSE
PUBLISHED JANUARY 9, 2024

Government Regulation

Regulatory frameworks are crucial in driving and enforcing sustainable practices across industries

What's in a number? The meaning of the 1.5-C climate threshold

BY TOM DI LIBERTO | REVIEWED BY SARAH KAPNICK, JOE CASOLA, BRITTANY CROLL, VICTORIA MORENO, AND RUSSELL VOSE
PUBLISHED JANUARY 9, 2024

LUCA ZORLONI

BUSINESS JUN 9, 2024 4:00 AM

The EU Is Taking on Big Tech. It May Be Outmatched

From the Digital Services Act to the AI Act, in five years Europe has created a lot of rules for the digital world. Implementing them, however, isn't always easy.

Government Regulation

Regulatory frameworks are crucial in driving and enforcing sustainable practices across industries

What's in a number? The meaning of the 1.5-C climate threshold

BY TOM DI LIBERTO | REVIEWED BY SARAH KAPNICK, JOE CASOLA, BRITTANY CROLL, VICTORIA MORENO, AND RUSSELL VOSE
PUBLISHED JANUARY 15, 2023

SUSTAINABLE BUSINESS

Salesforce Calls for AI Emissions Regulations as Concerns Grow Over Tech Sector's Carbon Footprint

Business software maker highlights worries about energy use and a lack of climate-impact disclosure as AI adoption expands

The EU Is

From the Digital Services Act: Implementing them

LUCA ZORLONI

BUSINESS

Government Regulation

Regulatory frameworks are crucial in driving and enforcing sustainable practices across industries

What
thr...

CLIMATE CHANGE, POLICY & ECONOMICS

Leading the Way: California's Trailblazing Efforts to Fight Climate Change

BY TOM
PUBLISHER

BY ORKHAN HUSEYNLI | AMERICAS | JAN 4TH 2024 | 6 MINS

LUCA ZORLONI

BUSINESS

The EU Is

From the Digital Sector
Implementing them...

Salesforce Calls for AI Emissions Regulations as Concerns Grow Over Tech Sector's Carbon Footprint

Business software maker highlights worries about energy use and a lack of climate-impact disclosure as AI adoption expands

Government Regulation

Regulatory frameworks are crucial in driving and enforcing sustainable practices across industries

Why
there

CLIMATE CHANGE, POLICY & ECONOMICS

Leading the Way: California's Trailblazing

Energy Policy Climate Change

The United States Officially Rejoins the Paris Agreement

PRESS STATEMENT

ANTONY J. BLINKEN, SECRETARY OF STATE

FEBRUARY 19, 2021

Over

gy use and a
s

Government Regulation

Regulatory frameworks are crucial in driving and enforcing sustainable practices across industries

CLIMATE CHANGE, POLICY & ECONOMICS

ENERGY

Trump would withdraw US from Paris climate treaty again, campaign says

The statement comes after years of conservatives laying the groundwork for Trump to withdraw from the global agreement intended to reduce emissions of the greenhouse gases causing climate change.

PRESS STATEMENT

ANTONY J. BLINKEN, SECRETARY OF STATE

FEBRUARY 19, 2021

Initiative

UNAMULUS GREEN ENERGY INITIATIVE

Climate Tech

Can we help address climate change with innovative technology?



Energy

Clean power generation
DERs
Hydrogen
Energy Storage
Grid management



Food & Land Use

Alternative proteins
Regenerative agriculture
Sustainable fertilizers
Nature restoration
Food waste



Transportation

Electric vehicles
Batteries
Micromobility
Zero-emission aviation + shipping
Low-carbon fuels



Built Environment

Building materials
Heating and cooling
Energy efficiency
Construction



Carbon

Carbon removal and storage
Carbon utilization
Point-source carbon capture
Carbon offsets
MRV and ratings



Climate Mitigation

Earth observation
Climate risk
Emissions tracking
Emissions accounting
ESG investing and fintech



Industrial


Steel, cement, chemicals
Efficient manufacturing
Metals and mining
Circular economy
Waste and recycling

Techno-solutionism:
“Recasting all complex
social situations...as
neatly defined problems
with definite, computable
solutions” -Morozov, 2013



The Dangers of Techno-Solutionism

Over-Reliance



Unintended Consequences



Greenwashing



Resource Intensity



*Be a pragmatic technono-
optimist!*

Sources and Further Reading

Book- *The One Device: The Secret History of the iPhone* by Brian Merchant

Book- *To Save Everything, Click Here* by Evgeny Morozov

What's in a number? The meaning of the 1.5-C climate threshold

The EU Is Taking on Big Tech. It May Be Outmatched | WIRED

Salesforce Calls for AI Emissions Regulations - WSJ

Leading the Way: California's Trailblazing Efforts to Fight Climate Change

The United States Officially Rejoins the Paris Agreement

Trump would withdraw US from Paris climate treaty again - POLITICO

Climate funding abides in \$19B 2022 midyear update

Google, Amazon and the problem with Big Tech's climate claims | MIT Tech Review