



# Lenses: Focus and Defocus




- A lens focuses light onto the film
  - There is a specific distance at which objects are “in focus”
    - other points project to a “circle of confusion” in the image
  - Changing the shape of the lens changes this distance

# Thin lenses




- Thin lens equation  $\frac{1}{d_o} + \frac{1}{d_i} = \frac{1}{f}$ 
  - Any object point satisfying this equation is in focus
  - What is the shape of the focus region?
  - How can we change the focus region?
  - Thin lens applet: [http://www.phy.ntnu.edu.tw/java/Lens/lens\\_e.html](http://www.phy.ntnu.edu.tw/java/Lens/lens_e.html) (by Fu-Kwun Hwang )

# Depth of field





$f/5.6$



$f/32$

Changing the aperture size or focal length affects depth of field


# Beyond Pinholes: Radial Distortion



Corrected Barrel Distortion

# Lens Flaws: Chromatic Aberration

- Dispersion: wavelength-dependent refractive index
  - (enables prism to spread white light beam into rainbow)
- Modifies ray-bending and lens focal length:  $f(\lambda)$



- color fringes near edges of image
- Corrections: add ‘doublet’ lens of flint glass, etc.

# Chromatic Aberration

Near Lens Center




Near Lens Outer Edge



# Aside: Hollywood's Anamorphic Format

- [http://en.wikipedia.org/wiki/Anamorphic\\_format](http://en.wikipedia.org/wiki/Anamorphic_format)



# Light and Color Capture



Intro to Computer Vision


James Hays, Brown

# Today's Class: light, color, eyes, and pixels

- Review of lighting
  - Color, Reflection, and absorption
- What is a pixel? How is an image represented?
  - Color spaces


# A photon's life choices

- Absorption
- Diffusion
- Reflection
- Transparency
- Refraction
- Fluorescence
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- **Absorption**
- Diffusion
- Reflection
- Transparency
- Refraction
- Fluorescence
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- **Diffuse Reflection**
- Reflection
- Transparency
- Refraction
- Fluorescence
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- **Specular Reflection**
- Transparency
- Refraction
- Fluorescence
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- Reflection
- **Transparency**
- Refraction
- Fluorescence
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- Reflection
- Transparency
- **Refraction**
- Fluorescence
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- Reflection
- Transparency
- Refraction
- **Fluorescence**
- Subsurface scattering
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- Reflection
- Transparency
- Refraction
- Fluorescence
- **Subsurface scattering**
- Phosphorescence
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- Reflection
- Transparency
- Refraction
- Fluorescence
- Subsurface scattering
- **Phosphorescence**
- Interreflection




# A photon's life choices

- Absorption
- Diffusion
- Reflection
- Transparency
- Refraction
- Fluorescence
- Subsurface scattering
- Phosphorescence
- **Interreflection**



# The Eye


---



The human eye is a camera!

- **Iris** - colored annulus with radial muscles
- **Pupil** - the hole (aperture) whose size is controlled by the iris
- What's the "film"?
  - photoreceptor cells (rods and cones) in the **retina**

# The Retina



# What humans don't have: tapetum lucidum

---



# Two types of light-sensitive receptors


---

## Cones


cone-shaped  
less sensitive  
operate in high light  
color vision

## Rods

rod-shaped  
highly sensitive  
operate at night  
gray-scale vision




# Rod / Cone sensitivity



The famous sock-matching problem...

# Distribution of Rods and Cones


---



Night Sky: why are there more stars off-center?

Averted vision: [http://en.wikipedia.org/wiki/Averted\\_vision](http://en.wikipedia.org/wiki/Averted_vision)

# Electromagnetic Spectrum




Human Luminance Sensitivity Function

# Visible Light

---


Why do we see light of these wavelengths?



...because that's where the Sun radiates EM energy

# The Physics of Light


Any patch of light can be completely described physically by its spectrum: the number of photons (per time unit) at each wavelength 400 - 700 nm.




# The Physics of Light

Some examples of the spectra of light sources


A. Ruby Laser




B. Gallium Phosphide Crystal



C. Tungsten Lightbulb




D. Normal Daylight





# The Physics of Light

Some examples of the reflectance spectra of surfaces



# Physiology of Color Vision


Three kinds of cones:



- Why are M and L cones so close?
- Why are there 3?

# Tetrachromatism

---




Most birds, and many other animals, have cones for ultraviolet light.


Some humans, mostly female, seem to have slight tetrachromatism.

# More Spectra

---




# Surface orientation and light intensity



Why is (1) darker than (2)?


For diffuse reflection, will intensity change when viewing angle changes?

# Perception of Intensity




from Ted Adelson

# Perception of Intensity



from Ted Adelson

# Image Formation




# Digital camera



A digital camera replaces film with a sensor array


- Each cell in the array is light-sensitive diode that converts photons to electrons
- Two common types: Charge Coupled Device (CCD) and CMOS
- <http://electronics.howstuffworks.com/digital-camera.htm>

# Sensor Array




a b

**FIGURE 2.17** (a) Continuous image projected onto a sensor array. (b) Result of image sampling and quantization.




CMOS sensor



# The raster image (pixel matrix)




# The raster image (pixel matrix)



# Color Images: Bayer Grid




Estimate RGB  
at 'G' cells from  
neighboring  
values



[http://www.cooldictionary.com/  
words/Bayer-filter.wikipedia](http://www.cooldictionary.com/words/Bayer-filter.wikipedia)

# Color Image




# Images in Matlab

- Images represented as a matrix
- Suppose we have a NxM RGB image called “im”
  - $\text{im}(1,1,1)$  = top-left pixel value in R-channel
  - $\text{im}(y, x, b)$  = y pixels down, x pixels to right in the b<sup>th</sup> channel
  - $\text{im}(N, M, 3)$  = bottom-right pixel in B-channel
- `imread(filename)` returns a uint8 image (values 0 to 255)
  - Convert to double format (values 0 to 1) with `im2double`

row	column									
0.92	0.93	0.94	0.97	0.62	0.37	0.85	0.97	0.93	0.92	0.99
0.95	0.89	0.82	0.89	0.56	0.31	0.75	0.92	0.81	0.95	0.91
0.89	0.72	0.51	0.55	0.51	0.42	0.57	0.41	0.49	0.91	0.92
0.96	0.95	0.88	0.94	0.56	0.46	0.91	0.87	0.90	0.97	0.95
0.71	0.81	0.81	0.87	0.57	0.37	0.80	0.88	0.89	0.79	0.85
0.49	0.62	0.60	0.58	0.50	0.60	0.58	0.50	0.61	0.45	0.33
0.86	0.84	0.74	0.58	0.51	0.39	0.73	0.92	0.91	0.49	0.74
0.96	0.67	0.54	0.85	0.48	0.37	0.88	0.90	0.94	0.82	0.93
0.69	0.49	0.56	0.66	0.43	0.42	0.77	0.73	0.71	0.90	0.99
0.79	0.73	0.90	0.67	0.33	0.61	0.69	0.79	0.73	0.93	0.97
0.91	0.94	0.89	0.49	0.41	0.78	0.78	0.77	0.89	0.99	0.93
	0.89	0.73	0.58	0.88	0.75	0.72	0.77	0.75	0.71	
	0.79	0.73	0.90	0.67	0.33	0.61	0.69	0.79	0.73	0.93
	0.91	0.94	0.89	0.49	0.41	0.78	0.78	0.77	0.89	0.93
	0.89	0.73	0.58	0.88	0.75	0.72	0.77	0.75	0.71	
	0.79	0.73	0.90	0.67	0.33	0.61	0.69	0.79	0.73	0.93
	0.91	0.94	0.89	0.49	0.41	0.78	0.78	0.77	0.89	0.93
	0.89	0.73	0.58	0.88	0.75	0.72	0.77	0.75	0.71	
	0.79	0.73	0.90	0.67	0.33	0.61	0.69	0.79	0.73	0.93
	0.91	0.94	0.89	0.49	0.41	0.78	0.78	0.77	0.89	0.93


# Color spaces

- How can we represent color?



# Color spaces: RGB

Default color space



**R**  
(G=0,B=0)



**G**  
(R=0,B=0)



**B**  
(R=0,G=0)



Some drawbacks

- Strongly correlated channels
- Non-perceptual

# Color spaces: HSV



## Intuitive color space



**H**  
( $S=1, V=1$ )




**S**  
( $H=1, V=1$ )



**V**  
( $H=1, S=0$ )

# Color spaces: YCbCr

Fast to compute, good for compression, used by TV



**Y**  
(Cb=0.5,Cr=0.5)



**Cb**  
(Y=0.5,Cr=0.5)




**Cr**  
(Y=0.5,Cb=0.5)

# Color spaces: L\*a\*b\*



“Perceptually uniform”\* color space



**L**  
( $a=0, b=0$ )



**a**  
( $L=65, b=0$ )



**b**  
( $L=65, a=0$ )

If you had to choose, would you rather go without luminance or chrominance?

If you had to choose, would you rather go without luminance or chrominance?

# Most information in intensity



Only color shown – constant intensity


# Most information in intensity



copyright 2000 philg@mit.edu

Only intensity shown – constant color


# Most information in intensity



copyright 2000 philg@mit.edu

Original image

# Back to grayscale intensity




# Next classes: filtering!

- Image filters in spatial domain
  - Filter is a mathematical operation of a grid of numbers
  - Smoothing, sharpening, measuring texture
- Image filters in the frequency domain
  - Filtering is a way to modify the frequencies of images
  - Denoising, sampling, image compression
- Templates and Image Pyramids
  - Filtering is a way to match a template to the image
  - Detection, coarse-to-fine registration

# Image Pyramids

Idea: Represent  $N \times N$  image as a “pyramid” of  $1 \times 1, 2 \times 2, 4 \times 4, \dots, 2^k \times 2^k$  images (assuming  $N = 2^k$ )



Known as a **Gaussian Pyramid** [Burt and Adelson, 1983]

- In computer graphics, a *mip map* [Williams, 1983]
- A precursor to *wavelet transform*