Revenue-Maximizing Auctions

CSCI 1440/2440

2025-10-01

We present a mathematical program and a pointwise approach to solving for optimal (i.e., revenue-maximizing) single-parameter auctions.

1 Mathematical Program

Recall that we can pose a single-parameter auction design problem as a mathematical program with the following constraints:

- 1. incentive compatibility
- 2. individual rationality
- 3. allocation constraints
- 4. ex-post feasibility

More specifically, if our objective is to maximize revenue, this program can be stated formally as follows:

$$\begin{aligned} \max_{\mathbf{x},\mathbf{p}} \ \underset{\mathbf{v} \sim F}{\mathbb{E}} \left[\sum_{i \in [n]} p_i(v_i,\mathbf{v}_{-i}) \right] \\ \text{subject to } v_i x_i(v_i,\mathbf{v}_{-i}) - p_i(v_i,\mathbf{v}_{-i}) \geq v_i x_i(t_i,\mathbf{v}_{-i}) - p_i(t_i,\mathbf{v}_{-i}) & \forall i \in [n], \forall i \in T_i, \forall \mathbf{v} \in T \\ v_i x_i(v_i,\mathbf{v}_{-i}) - p_i(v_i,\mathbf{v}_{-i}) \geq 0 & \forall i \in [n], \forall \mathbf{v} \in T \\ 0 \leq x_i(v_i,\mathbf{v}_{-i}) \leq 1 & \forall i \in [n], \forall \mathbf{v} \in T \\ \sum_{i \in [n]} x_i(v_i,\mathbf{v}_{-i}) \leq 1 & \forall \mathbf{v} \in T \end{aligned}$$

2 Myerson's Auction Design Recipe

Myerson's lemma tells us that we can re-express the IC and IR constraints in terms of monotonicity of the allocation rule and a particular payment rule instead:

$$\begin{aligned} x_i(v_i, \mathbf{v}_{-i}) &\geq x_i(t_i, \mathbf{v}_{-i}), & \forall i \in [n], \forall v_i \geq t_i \in T_i \\ p_i(v_i, \mathbf{v}_{-i}) &= v_i x_i(v_i, \mathbf{v}_{-i}) - \int_0^{v_i} x_i(z, \mathbf{v}_{-i}) \, \mathrm{d}z,, & \forall i \in [n], \forall \mathbf{v} \in T. \end{aligned}$$

Myerson's theorem tells us that we can replace the objective of maximizing total expected payments with the equivalent objective of maximizing total expected virtual welfare.

Analogous to the case of welfare, Myerson's results suggest a two-step process (i.e., a design recipe) to solving for a revenuemaximizing auction:

- 1. First, design an algorithm that can find an ex-post feasible, virtualwelfare-maximizing allocation given $\mathbf{v} \in T$.
- 2. If it so happens that monotonicity holds, construct truthful payments using Myerson's payment formula.

An allocation scheme that maximizes virtual welfare allocates in non-increasing order of virtual values. The monotonicity constraint, however, applies to values, not virtual values: i.e., as a bidder's value increases, their probability of being allocated should not decrease. Thus, monotonicity holds precisely when the virtual value functions are all non-decreasing in values. When this property of a virtual value function holds, the underlying distribution in terms of which it is defined is said to be regular.

```
1: for all \mathbf{v} \in T do
          for all i \in [n] do
 2:
               x_i(v_i, \mathbf{v}_{-i}) \leftarrow 0
 3:
          end for
 4:
          if \max_i \{ \varphi_i(v_i) : i \in [n] \} \ge 0 then
 5:
               w(\mathbf{v}) \leftarrow \arg\max_{i} \{ \varphi_i(v_i) : i \in [n] \}
 6:
               for all i^* \in w(\mathbf{v}) do
                                                                      7:
                    x_{i^*}(v_{i^*}, \mathbf{v}_{-i^*}) \leftarrow 1/|w(\mathbf{v})|
 8:
               end for
 9:
          end if
10:
          Find the critical value v^*
11:
          for all i^* \in w(\mathbf{v}) do
                                                                        12:
               Set bidder i^*'s payment equal to \varphi_i^{-1}(v^*)
13:
          end for
14:
15: end for
16: S \leftarrow \sum_{i=1}^{n} \mathbb{E}_{\mathbf{v} \sim F} \left[ v_i x_i(v_i, \mathbf{v}_{-i}) \right]
                                                                   17: R \leftarrow \sum_{i=1}^{n} \mathbb{E}_{\mathbf{v} \sim F} \left[ p_i(v_i, \mathbf{v}_{-i}) \right]
                                                                   18: return S, R, x, p
```

Algorithm 1: Revenue Maximization. This algorithm proceeds pointwise, meaning one value vector at a time.