Welfare-Maximizing Auctions

CSCI 1440/2440

2025-09-24

We present a mathematical program and a pointwise approach to maximizing welfare in single-parameter auctions.

1 Mathematical Program

Recall that we can pose a single-parameter auction design problem as a mathematical program with the following constraints:

- 1. incentive compatibility
- 2. individual rationality
- 3. allocation constraints
- 4. ex-post feasibility

More specifically, if our objective is to maximize welfare, this program can be stated formally as follows:

$$\begin{aligned} \max_{\mathbf{x},\mathbf{p}} \ \sum_{\mathbf{v} \sim F} \left[\sum_{i \in [n]} v_i x(v_i, \mathbf{v}_{-i}) \right] \\ \text{subject to } v_i x_i(v_i, \mathbf{v}_{-i}) - p_i(v_i, \mathbf{v}_{-i}) \geq v_i x_i(t_i, \mathbf{v}_{-i}) - p_i(t_i, \mathbf{v}_{-i}) \qquad \forall i \in [n], \forall i \in T_i, \forall \mathbf{v} \in T \\ v_i x_i(v_i, \mathbf{v}_{-i}) - p_i(v_i, \mathbf{v}_{-i}) \geq 0 \qquad \qquad \forall i \in [n], \forall \mathbf{v} \in T \\ 0 \leq x_i(v_i, \mathbf{v}_{-i}) \leq 1 \qquad \qquad \forall i \in [n], \forall \mathbf{v} \in T \\ \sum_{i \in [n]} x_i(v_i, \mathbf{v}_{-i}) \leq 1 \qquad \qquad \forall \mathbf{v} \in T \end{aligned}$$

2 Myerson's Auction Design Recipe

Myerson's lemma tells us that for single-parameter auctions, we can re-express the IC and IR constraints in terms of monotonicity of the allocation rule and a particular payment rule instead:

$$x_{i}(v_{i}, \mathbf{v}_{-i}) \geq x_{i}(t_{i}, \mathbf{v}_{-i}), \qquad \forall i \in [n], \forall v_{i} \geq t_{i} \in T_{i}$$

$$p_{i}(v_{i}, \mathbf{v}_{-i}) = v_{i}x_{i}(v_{i}, \mathbf{v}_{-i}) - \int_{0}^{v_{i}} x_{i}(z, \mathbf{v}_{-i}) dz, \qquad \forall i \in [n], \forall \mathbf{v} \in T.$$

Myerson's lemma therefore suggests a two-step process (i.e., a design recipe) to solving for a welfare-maximizing auction:

1. First, design an algorithm that can find an ex-post feasible, welfare-maximizing allocation given $\mathbf{v} \in T$.

2. If it so happens that monotonicity holds, construct truthful payments using Myerson's payment formula.

A welfare-maximization algorithm that relies on Myerson's Lemma is given in Algorithm 1. Allocations are solved for first (using the greedy algorithm, which is monotone), based on which appropriate payments are constructed.

```
1: for all \mathbf{v} \in T do
          for all i \in [n] do
               x_i(v_i, \mathbf{v}_{-i}) \leftarrow 0
 3:
          end for
 4:
          if \max_{i} \{ v_i : i \in [n] \} > 0 then
 5:
               w(\mathbf{v}) \leftarrow \arg\max_{i} \{v_i : i \in [n]\}
 6:
               for all i^* \in w(\mathbf{v}) do
                                                                         7:
                     x_{i^*}(v_{i^*}, \mathbf{v}_{-i^*}) \leftarrow 1/|w(\mathbf{v})|
 8:
               end for
 9:
          end if
10:
          Find the critical value v^*
11:
          for all i^* \in w(\mathbf{v}) do
                                                                          12:
               Set bidder i^*'s payment equal to v^*
13:
          end for
14:
15: end for
16: S \leftarrow \sum_{i=1}^{n} \mathbb{E}_{\mathbf{v} \sim F} \left[ v_i x_i(v_i, \mathbf{v}_{-i}) \right]
                                                                      ▷ Total expected welfare
17: R \leftarrow \sum_{i=1}^{n} \mathbb{E}_{\mathbf{v} \sim F} \left[ p_i(v_i, \mathbf{v}_{-i}) \right]
                                                                     ▶ Total expected revenue
18: return S, R, x, p
```

Algorithm 1: Welfare Maximization. This algorithm proceeds pointwise, meaning one value vector at a time.