

# Interaction in an IVR Museum of Color

Anne Morgan Spalter

Brown University  
Box 1910  
Providence, RI 02912  
(401) 863-7615  
ams@cs.brown.edu

Philip Andrew Stone

Brown University  
Box 1910  
Providence, RI 02912  
(401) 863-7693  
pstone@cs.brown.edu

Barbara J. Meier

Brown University  
Box 1910  
Providence, RI 02912  
(401) 863-7693  
bjm@cs.brown.edu

Timothy S. Miller

Brown University  
Box 1910  
Providence, RI 02912  
(401) 863-7653  
tsm@cs.brown.edu

Rosemary Michelle Simpson

Brown University  
Box 1910  
Providence, RI 02912  
(401) 863-7651  
rms@cs.brown.edu

## ABSTRACT

IVR (Immersive Virtual Reality) environments naturally suggest hands-on approaches to learning, but the success of such virtual “direct experience” depends heavily on the design of interface and interaction techniques. Although IVR may suggest ease of use and obvious, transparent interface designs, the opposite is, unfortunately, true: IVR presents surprisingly difficult interface challenges and the study of interface and interaction design for educational IVR use is just beginning. In this paper we discuss three issues that we encountered in the creation of an IVR-based educational project: the use of architectural spaces for structuring a sequence of modules, the trade-offs between metaphor fidelity and convenience, and the use of IVR to interact with visualizations of abstract concepts.

## Keywords

Interaction, immersive virtual reality, color theory, education.

## 1. INTRODUCTION

Immersive Virtual Reality (IVR)<sup>1</sup> has exciting potential for educational applications, enabling students to interact with ideas in new ways. In an IVR environment, students can engage in simulations of real-world environments that are not accessible due to financial or time constraints (high-end chemistry laboratories, for instance), or which are simply not possible to experience, such as the inside of a volcano or the inside of an atom. IVRs also enable students to interact with visualizations of abstract ideas, for example, mathematical equations and elements of color theory. The hands-on, investigative learning most natural to IVR is an

excellent way to train new scientists and engineers. In addition, because the environment is computer-generated, it is an ideal future platform for individual and collaborative distance learning efforts.

IVR lends itself naturally to a *constructivist* pedagogical approach, i.e., one which builds on Piaget’s view that knowledge is created by learners through interaction with people and the world around them [7] and which is characterized by first-person, non-symbolically mediated interactions [20]. But the success of such virtual “direct experience” depends heavily on the design of interface and interaction techniques. Although IVR may suggest ease of use and obvious, transparent interface designs, the opposite is, unfortunately, true: IVR presents surprisingly difficult interface challenges. Even techniques as seemingly straightforward as object selection and navigation are the subject of dozens of research papers [e.g., 13, 14]. The design of IVR interaction that feels natural and promotes learning is an almost entirely unsolved problem. We have been tackling some of the interface and interaction challenges of using IVR for education in a Museum of Color in which students can perform a number of science museum-like experiments.

Although IVR environments are still too expensive and fragile for mainstream educational use, the use of VR in training is well-established [10] and its use in entertainment is growing rapidly [21], [1]. Just as Moore’s Law is seen in the use of commodity 3D

---

<sup>1</sup> An IVR is created with a combination of immersion (3D graphics rendering that surrounds the user, with the point of view dynamically updated by tracking the user’s head position and orientation), and the use of interaction devices such as data gloves. A 3D world seen on a desktop machine monitor does not qualify as an IVR, even when stereo is used, because the sensation of immersion is absent.

graphics in games and edutainment (the soon to be released Sony Playstation 2 has more graphics power than most of today's high-end workstations), so it predicts that today's esoteric immersive environments to become commodity classroom fixtures in the future. We feel, therefore, that it is critical to conduct educational IVR interface and interaction research today so that educators can take full advantage of IVRs in the near- and long-term future.

## 2. PREVIOUS WORK

The IVR Museum of Color extends ongoing work done in the Exploratories Project (<http://www.cs.brown.edu/exploratory>) at Brown University. Exploratories are combinations of science museum-like exploratoriums and laboratories, realized as two- and three-dimensional explorable worlds. The Exploratories Project has a dual mission of creating innovative educational content for the Web and documenting the experiences of creating such software in a Design Strategy Handbook.

A handbook for 2D and 3D desktop applications is already in progress as part of the Exploratory Project and elements of it can be found in [8] and [19]. The handbook draws on our own and others' experiences and includes guides, templates, patterns (as in Gamma et al's object-oriented "Design Patterns"), and examples. Topics include assessment of resources, descriptions of different pedagogical categories, patterns for implementation, indexed examples, and, of course, extensive information on interface and interaction design.

The Exploratories project has previously focused on 2D and 3D graphics on the desktop, creating, for example, suites of 2D applets for teaching color theory [2], [17] and basic signal processing used in image processing. The project has also worked with 3D desktop graphics, creating modules, for example, for teaching synthetic camera transformations. Recently, we have begun to design for semi- and fully-immersive environments, from the Barco Baron table (a rear-projection display) to a four-walled Cave. Building on two suites of 2D color theory exploratories we have created, we have begun creating a sequence of Cave-based exploratories, a Museum of Color.

IVR education projects at a number of universities have already shown promising results: for example, the University of Illinois' Electronic Visualization Laboratory's Round Earth project [12], George Mason University and University of Houston's Virtual Environments Technology Laboratory's NewtonWorld and MaxwellWorld [16], the University of Michigan's Virtual Reality in Chemical Engineering Laboratory's Vicher (Virtual Chemical Reaction) modules 1 and 2 [3], the University of Washington Human Interface Technology Laboratory's Zengo Sayu [15], and MIT's ALIVE environment [11], just to name a few. We have been convinced, by reading about these works and seeing demonstrations, that the educational potential for IVR is real, but we found little specific discussion of interaction issues particularly relevant to educational uses of IVR. By conducting projects like the one discussed in this paper and presenting interaction methods that we found successful, we hope to make construction of future educational IVRs easier for ourselves and others.

## 3. ENTER THE MUSEUM

The Exploratories Project has begun work on an IVR-based Museum of Color to teach difficult-to-understand, often highly abstract aspects of color theory through a series of hands-on experiments that take advantage of immersion in a 3D virtual

space and interaction with geometric explanations of abstract concepts. This project has illuminated a number of issues in IVR-based interaction relevant to instructional design; we discuss three of them here, namely, the use of architectural spaces for structuring a sequence of modules, the trade-offs between metaphor fidelity and convenience, and the use of IVR to interact with visualizations of abstract concepts.

### 3.1 Using Architectural Spaces to Structure a Sequence of IVR Learning Modules

One of the first challenges we encountered was how to navigate through a complex series of learning experiences in an immersive environment. In our desktop exploratories, we use customized hypertext structures that we have developed for presenting educational material on the Web [18]. For example, we have structure templates for games, lab-type experiments, and more free-form playground environments. In the Museum of Color, we chose an architectural metaphor that guides the user through various learning sequences and simplifies nonlinear navigation. The 3D structure also serves as a mental model of the lesson structure. While we have not found this type of architectural interface to be terribly successful for the desktop, we have found it to be quite natural in the Cave. In the Museum of Color, for instance, each floor has the same layout and flow sequence (see Figure 1) and higher numbered floors house experiments of increasing conceptual difficulty. Simple interactive experiences with different parameters of a color—such as value, hue and saturation—are on the first floor, experiments dealing with groups of color are on the second, and interactive comparisons of color spaces are on the third. When a user has completed a floor, the architectural metaphor, complete with an elevator ride between floors, enhances both the sense of having traversed a memorable territory, and the sense of closure over a set of concepts




Figure 1: Flying over the floor plan. On each floor, a central column (which holds the elevator) is surrounded by four rooms.

### 3.2 Trade-offs Between Metaphor Integrity and Convenience

We have found that the effectiveness of using an architectural space depends first on its appropriateness to the task, and secondly on the correct balance of spatial integrity and navigational convenience. Faithfulness to the metaphor is

essential for establishing it as a mental model. However, undue faithfulness can be irritating: for example, in the Museum of Color, we chose to have users take an elevator between floors to emphasize the structure, but we also let users navigate in a nonlinear fashion by selecting rooms on a 2D map. The step outside the 3D realm for map navigation is similar to use of maps in real life. We avoided flying, passing through walls, and jumping or transporting from place to place within the museum. For educators, the establishment of the structure can be taken advantage of further by the equivalent of hypertext guard fields [5]—users can be forced to follow a specific sequence and can be barred from certain rooms until specific conditions have been met, such as conducting a number of prerequisite experiments. Our framework allows for such guiding.

Sometimes the benefits of one approach, such as use of an architectural metaphor, clash with another potential interface or interaction scheme. For example, scale changes are a particularly powerful feature of IVR learning environments, but it is difficult to take full advantage of the potential for relative scaling while still maintaining the visitor-in-a-museum metaphor. In our color space rooms users entering a room see a number of different 3D color spaces, rendered as wire frames, placed on pedestals like sculptures (see Figure 2). The color spaces can be investigated in a number of ways: a series of visualization techniques help to show off the internal structure of the spaces (see Figures 2, 3), two-handed interaction (using data gloves) lets users pick up color spaces and rotate them. Before they were integrated into the Museum, it seemed natural to scale the spaces and walk around inside them. Inside the museum, such radical scaling causes the color spaces to become larger than the room and intersect with the walls and ceiling. A partial solution is to restrict the ultimate scale; another approach is to let users “jump” into the color space (See Figure 2).



Figure 2: An HSL cylinder, rendered as a wire frame, with falling disks colored according to their changing locations. The user approaches (left) and then enters the space (right).



Figure 3: Ribbons help to convey the location of colors in an HSL cylinder without obstructing the user's views of the space.

### 3.3 Concept Visualization

An interaction area important for making IVR useful for the widest possible range of educational topics is the use of 3D representation (and thus manipulability) of parameters not usually visualized in 3D, an approach that we call concept visualization, similar to Winn’s “reification” [20]. The first room of the Museum of Color teaches the concepts of value and saturation with this method: traditionally, users manipulate a value or saturation parameter with a slider, dial, or by moving a brush-type tool over an area of their image. In the Cave, we present the changes to either parameter in an image as a height field (with the image mapped onto it) that users can drag and push with gloves to get a sense of what happens when you shift either parameter of a color (see Figure 4). Interacting with a 3D representation of value or saturation gives the user a new mental model of its properties and lets manipulation draw on use of the fingers, hand, arm, and even full body. The 3D representations of these abstract parameters will, we hope, give them a more tangible reality for students and continue to enrich artists’ and designers’ vocabulary for talking about the use of value. For example, artists already often describe black as heavy and white as light or referring to light or dark areas as receding or advancing. Interestingly, the model of saturation and value as height appears to persist in users outside of the cave and anecdotal reports show that it helps users create and analyze 2D works in the real world.



Figure 4: A researcher uses a pinching motion to warp the height field, in this case making a pale blue area more saturated by drawing it upward.

The visualization of color spaces is more direct: usually three parameters are involved, such as hue, saturation, and value or red, green, and blue, and the visualization of each parameter’s values along an axis serves to make these somewhat arbitrary parameters more tangible. For beginning students of color theory, it is often not clear why one needs so many different color spaces and what their different purposes are. One of the most important distinctions is between spaces that are perceptually uniform (i.e., an equal distance step along any axis results in an equal amount of perceived change in the quantity of the axis’s parameter) and those that are not. We are able to let users compare perceptually and non-perceptually based spaces by using a fully manipulable cutting plane that is a square in a perceptually based space but maps to a warped shape in spaces that do not have perceptually linear changes along the axes of their various parameters. Although one can do this on the desktop, we found the immersive

experience to be qualitatively different. The ability to step inside a color space, move the plane with one's arms, and easily examine the results from any point of view gave us a much better intuitive sense of shapes of the spaces and the areas in which perceptual changes become more and more nonlinear.

#### 4. CONCLUSION and FUTURE WORK

The interface challenges discussed here (the use of architectural spaces for structuring a sequence of modules, the trade-offs between metaphor fidelity and convenience, and the use of IVR to interact with visualizations of abstract concepts) are only a few of the many issues confronting educators who want to tap the enormous potential of IVRs as learning environments. In addition to work being done on basic IVR UI techniques, such as those needed for navigation, selection, and multimodal interaction (for example with gesture and voice recognition) [4], [6], [9], we hope that particular attention will be paid by educators to IVR interaction support for educational needs such as note- or record-taking, narrative structures, scenes that change adaptively to respond to a learner's growing sophistication, tracking and remediation of user mistakes or misconceptions, collaborative learning and problem solving, and performance measurement.

We plan to continue to add content to our Museum of Color, and to create further education IVR experiences. But our long-term goal is to document both our experience and that of others to codify solutions to some of the many problems that arise when using IVR for educational purposes. Although a number of successful IVR education projects have been completed (see Section 2, Previous Work), a source for clear guidelines and examples will, we believe, do a greater service to the field than simply creating more content. We plan to write an IVR section for our Design Strategy Handbook that will contain discussions of specific issues, like those presented in this paper, as well lists and examples of the different relevant IVR techniques found in today's research literature. Widespread dissemination of practical results in the Handbook will make our work available to a broad range of potential end users, from research scientists to high school educators.

#### 5. ACKNOWLEDGMENTS

Our thanks to Andy van Dam for his critical reading and to David Karelitz and Jean Laleuf for feedback during the creation of the Museum. We would like to thank Adobe Systems, Inc. for their generous support of this work. We would also like to thank the other sponsors of the Brown University Computer Graphics Group: Advanced Network & Services, Alias|Wavefront, the Center for Advanced Scientific Computing and Visualization, the DOE, IBM Corporation, Intel, Microsoft, the NSF Science and Technology Center for Computer Graphics and Scientific Visualization, and Taco, Inc.

#### 6. REFERENCES

[1] [http://vr-atlantis.com/lbe\\_guide/lbe\\_list3.html](http://vr-atlantis.com/lbe_guide/lbe_list3.html)

[2] Beall J.E., Doppelt A.M., and Hughes, J.F., Developing an Interactive Illustration: Using Java and the Web to Make It Worthwhile. Proceedings of 3D and Multimedia on the Internet, WWW and Networks, 16-18 April 1996, Pictureville, National Museum of Photography, Film & Television, Bradford, UK, 1996.

[3] Bell, John T. and Fogler, H. Scott. "The Investigation and Application of Virtual Reality as an Educational Tool" in

Proceedings of the American Society for Engineering Education, 1995. (<http://www.engin.umich.edu/research/vrichel/>)

[4] Benford, S., Taylor, I., Brailsford, D., Koleva, B., Craven, M., Fraser, M., Reynard, G., and Greenhalgh, C. "Three-dimensional Visualisation of the World Wide Web" in ACM Computing Surveys Symposium on Hypertext (2000).

[5] Bernstein, Mark. Storyspace: Hypertext Writing Environment. Eastgate Systems Press, Watertown, Massachusetts.

[6] Chen, Chaomei and Czerwinski, Mary. "From Latent Semantics to Spatial Hypertext - An Integrated Approach" in Proceedings of Hypertext '98, ACM SigLink, 1998.

[7] Fosnot, Catherine, ed. Constructivism: Theory, Perspectives, and Practice. New York: Teachers College Press, 1996.

[8] Gould, Daniel L., Simpson, Rosemary M., and van Dam, Andries. "Granularity in the Design of Interactive Illustrations" in Proceedings of SigCSE '99, ACM SigCSE, 1999.

[9] Lindeman, Robert W., Sibert, John L., and Hahn, James K. "Towards Usable VR: An Empirical Study of User Interfaces for Immersive Virtual Environments" in Proceedings of SIGCHI '99, ACM SIGCHI, 1999.

[10] Loftin, R. Bowen and Kenney, Patrick J. "Virtual Environments in Training: NASA's Hubble Space Telescope Mission" in Interservice/Industry Training Systems & Education Conference, 1994. (<http://www.vetl.uh.edu/Aerospaceov.html>; <http://www.vetl.uh.edu/Hubble/longpaper.html>)

[11] Maes, Pattie. "Artificial Life Meets Entertainment: Lifelike Autonomous Agents" in Communication of the Association for Computing Machinery, V38, No. 11, November 1995.

[12] Moher, T., Johnson, A., Ohlsson, S., Gillingham, M., Bridging Strategies for VR-Based Learning In the proceedings of CHI 99, Pittsburgh, Pennsylvania, May 15-20, 1999, pp. 536-543, 1999. (<http://www.evl.uic.edu/roundearth/>)

[13] Pierce, Jeffrey, Forsberg, Andrew, Conway, Matthew, Hong, Seung, and Zeleznik, Robert. Image Plane Interaction Techniques in 3D Immersive Environments. 1997 Symposium on Interactive 3D Graphics, pages 39-43.

[14] Pierce, Jeffrey, Stearns, Brian, and Pausch, Randy. Two Handed Manipulation of Voodoo Dolls in Virtual Environments. 1999 Symposium on Interactive 3D Graphics, pages 141-145.

[15] Rose, Howard and Billingham, Mark. Zengo Sayu: An Immersive Educational Environment for Learning Japanese. University of Washington, Human Interface Technology Laboratory, Report No. r-95-4, 1995.

[16] Salzman, J., Dede, C, and Loftin, B. "Learner-Centered Design of Sonorily Immersive Microworlds Using a Virtual Reality Interface" in Proceedings of the Seventh International Conference on Artificial Intelligence and Education, pp. 554-564, 1995. ([vetl.uh.edu/ScienceSpace/learnvir.html](http://www.vetl.uh.edu/ScienceSpace/learnvir.html); <http://www.vetl.uh.edu/ScienceSpace/absvir.html>)

[17] Simpson, Rosemary M., Spalter, Anne M., and van Dam, Andries. Exploratories: An Educational Strategy for the 21st Century", in Electronic Schoolhouse of ACM SIGGRAPH '99, 1999.

[18] Spalter, Anne Morgan and Simpson, Rosemary Michelle. "Reusable Hypertext Structures for Distance and JIT Learning" accepted for ACM Hypertext 2000, 2000.

[19] Spalter, Anne Morgan and Simpson, Rosemary Michelle. "Integrating Interactive Computer-Based Learning Experiences Into Established Curricula" submitted to ITICSE 2000, 2000.

[20] Winn, William. A Conceptual Basis for Educational Applications of Virtual Reality. University of Washington,

Human Interface Technology Laboratory, Report No. TR-93-9, 1993.

[21] Zyda, M. and Sheehan, J. (eds). Modeling and Simulation: Linking Entertainment and Defense. National Research Council, National Academy Press, 1997.